

Midwest Oil & Gas Inc
www.midwestoilgas.com

=====

MAKE & MODEL: IDECO H-35 (600HP)
TYPE: SKID MOUNTED DRILLING RIG
CONDITION RATING: Fully Serviced, Refurbished (2008-2009)
LOCATION: USA

DRAWWORKS

IDECO H-35 HYDRAIR Single drum Drawworks; S/N:628, LEBUS Grooved f/1-1/8" Line, Makeup & Breakup Catheads, Air Driller's Console Controls w/ Engine Shed.

COMPOUND

IDECO 2-Engine, In-Line Compound w/ Quincy 325C 2-Stage Air Compressor

BRAKE

PARMAC 15" DR Double Hydromatic Brake Drawworks Mounted

ENGINES

(2) CAT 3406 Diesel Engines, (1) w/ Air Starter & (1) Electric Motor Starter, Each w/ NATIONAL C-195-64-FH Torque Converter, Air Clutches, Each Skidded & 300 HP

MAST

Lee C. Moore, 127'H x 15'W Cantilever Mast 340,000 SHL, Pin-Type, 4-Sheave Crown (Includes Fastline), 1^{1/8}" Line, Crown Safety Platform, Racking Board, Pipe Boom, Tong Counterweights, Derrick Climber, Ladder, Deadline Anchor, 4" Standpipe, Standpipe Manifold 2/4" & 2" Gate Valves, Type D 3000# Pressure Gauge & Mast Stand

SUBSTRUCTURE

10'H x 18'6"W x 40'L Box-on-Box Substructure 400,000# SHL, w/ V-Door, Stairs, Safety Rails, w/ Drop in Floor Plates

PUMPS

National K500A Duplex Mud Pump; S/N:09810019, 500-HP, 7^{1/4}" x 15", Forged Steel Fluid End w/ Quick-Change Valve & Cylinder Head Caps, CONTINENTAL-EMSCO Pulsation Dampener, OTECO 2" Shear Relief Valve, Drive Assembly, Master Skidded, Powered By CAT 3412 Diesel Engine w/ Air Starter, Air Clutch & Skidded.

IDECO MM-600 Duplex Mud Pump; S/N: 211, 600-HP, MATCO Forged Steel Fluid End w/ Quick-Change Valve & Cylinder Head Caps, HYDRIL K-20 3000# Pulsation

Dampener, OTECO 2" Shear Relief Valve, Type D 3000# Pressure Gauge, Drive Assembly, Master Skid, p/b CAT 379 Diesel Engine w/ Air Starter, Air Clutch, Skidded Belt Drive Package; S/N: 68B6004.

ROTATING EQUIPMENT

IDECO 175-F Rotary Table, 17^{1/2}" x 44", w/ Split Master Bushing

185-Ton Rotary Swivel

4^{1/4}" x 41'L Square Kelly w/ BAASH-ROSS Kelly Drive Bushing, Square Drive in Rat Hole Sock.

TRAVELING EQUIPMENT

IDECO UTB160 Shorty 160-Ton Block/Hook Combination, 4-Sheave

2^{1/2}" x 96" Elevator Links

WELL CONTROL EQUIPMENT

BOP equipment available

PAYNE 3-Station Closing Unit (NOTE: Mounted on Parts House Skid).

BARTON 5000# Choke Manifold w/ (6) 2" Gate Valves, Adjustable Choke & Skidded

RIG HOUSES

6'11"W x 23'8"L Doghouse w/ Round Top, Knowledge Box, Lockers, Bench Storage, Cabinets, Fluorescent Lights & Heater.

8'W x 18'L Parts House (Bottom House) w/ Flat Top, Parts Bins, Fluorescent Lights, Air Compressor p/b 15HP Electric Motor & Skidded.

8'W x 21'L Change House w/ V-Top, 4' Porch Extension, Lockers, Bench Storage & Cabinets.

GENERATORS / UTILITY HOUSE

CAT SR-4 155 KW AC Generator p/b CAT 3306PC Diesel Engine w/ Electric Starter & Skidded.

CAT SR-4 135 KW AC Generator p/b CAT 3304 Diesel Engine w/ Electric Starter Skidded.

QUINCY 325C Air Compressor p/b 5 HP Electric Motor

All Above Mounted in 8'W x 15'L Utility House w/ V-Top, 13'L w/ Fluorescent Lights, Skidded w/ Fuel Tank & Lubster

MUD SYSTEM

5'H x 11'7"W x 34'6"L 356-Barrel Mud Tank w/ (2) Compartments, 10'L Covered Porch w/ MISSION 5" x 6" Centrifugal Pump p/b 50 HP Electric Motor, Mud Hopper, Top-Mounted Walkways, Stairs, Safety rails, Skidded Complete w/ (2) Deck Shale Shakers.

6'H x 8'W x 12'L 120-Barrel Premix Tank, Single Compartment, Flat Bottom w/ 12'L Covered Porch Extension, (2) Mud Hoppers & Skidded.

WATER / FUEL TANKS

6'H x 8'W x 38'L 325-Barrel Water Tank

18'L Oval-shaped Fuel Tank, Skidded & Mounted w/ Generator House & Lubster

3'2"H x 2'10"W x 8'8"L 3-Compartment Lubster, Mounted on Skid w/ Generator House & Fuel Tank

HANDLING TOOLS

WOOLLEY Type B Tongs w/ Heads

BJ 4-1/2" Center latch Drill Pipe elevator

WOOLLEY 4-1/2" Drill Pipe Slips

BAASH-ROSS 12-Segment Drill Collar Slips

WOOLLEY 10-Segment Drill Collar Safety Clamp

(8) Drill Collar Lift Subs

Mud Saver Bucket

GARDNER-DENVER HK-1 Air Hoist

AUXILIARY EQUIPMENT

GH BEAR Automatic Driller; S/N: 6214

GEOLOGRAPH Single-Pen Recorder

MARTIN-DECKER Clipper 360,000Lb. Capacity Weight Indicator

Tong Line Pull Gauge

TOTCO Straight-Hole Deviation Instrument

3^{1/2}" x 55' Rotary Hose

34"H x 8'W x 36'L Pipe Tub w/ 40"W Steel Deck Catwalk w/ 10' Extension & Steps

(4) 30"H x 7'W x 40'L Pipe Tubes, (1) w/ (2) top-Mounted Removable Pipe Racks

Electric / Hydraulic Wireline Measuring Device

Rathole & Mousehole

Fluorescent & Mercury-Vapor Rig Lights w/ Wiring

Drill Line Spool & Stand

PIPE RACKS

2 Sets (4) 42"H x 28'L Triangular Pipe Racks